

To: Catri, Cindy[Catri.Cynthia@epa.gov]; Stanley, Elaine[stanley.elainet@epa.gov]; Lombardo, Ginny[Lombardo.Ginny@epa.gov]
From: Tisa, Kimberly
Sent: Mon 12/5/2016 12:11:20 PM
Subject: RE: Titliest

Interesting. That is why I brought up Titleist and the deed notice requirement for PCBs > 1 ppm.

Kimberly N. Tisa, PCB Coordinator

USEPA

5 Post Office Square, Suite 100

Boston, MA 02109-3912

617.918.1527 (phone)

617.918.0527 (fax)

Tisa.Kimberly@epa.gov

From: Catri, Cindy
Sent: Friday, December 02, 2016 5:57 PM
To: Stanley, Elaine <stanley.elainet@epa.gov>; Lombardo, Ginny <Lombardo.Ginny@epa.gov>
Cc: Tisa, Kimberly <Tisa.Kimberly@epa.gov>
Subject: RE: Titliest

I don't think Titleist did.

From: Stanley, Elaine
Sent: Friday, December 02, 2016 3:59 PM
To: Catri, Cindy <Catri.Cynthia@epa.gov>; Lombardo, Ginny <Lombardo.Ginny@epa.gov>
Cc: Tisa, Kimberly <Tisa.Kimberly@epa.gov>

Subject: RE: Titliest

I did not mention that Cindy but I could call him back. Did you get in yesterday's meeting if Titliest notified RQs for the AVX data?

From: Catri, Cindy
Sent: Friday, December 02, 2016 3:32 PM
To: Stanley, Elaine <stanley.elainet@epa.gov>; Lombardo, Ginny <Lombardo.Ginny@epa.gov>
Cc: Tisa, Kimberly <Tisa.Kimberly@epa.gov>
Subject: RE: Titliest

Great! Did you happen to mention to him that what we found was reportable quantities and he should also formally notify MassDEP? Not really our job to tell him that; he should know...

From: Stanley, Elaine
Sent: Friday, December 02, 2016 3:24 PM
To: Lombardo, Ginny <Lombardo.Ginny@epa.gov>
Cc: Tisa, Kimberly <Tisa.Kimberly@epa.gov>; Catri, Cindy <Catri.Cynthia@epa.gov>
Subject: Titliest

FYI - Just a quick note saying that I spoke with Keven Kelly at the Acushnet Company this afternoon. He was extremely cooperative, granted permission for us to share our soil/sediment analytical results from their property with AVX and also had a few questions about our analytical results which I intend to share with you in a follow up email.

In addition, he said that he met with AVX after reviewing the Phase III report and indicated to AVX that they preferred alternative OU1-3 which would get the property to not needing an AUL restriction. Kevin said that their counsel was preparing a letter to MassDEP indicating their preference but that he was now going to contact the counsel to send that letter out as I told him we were going to meet with MassDEP and AVX next week to discuss the Phase III report [and that I wanted to be able to provide the Titliest data to AVX prior to that meeting].

I'll forward the data and figure to Marilyn and Angela.

Elaine

Elaine Stanley

Remedial Project Manager

EPA Region 1

5 Post Office Square

Suite 100, OSRR07-4

Boston, MA 02109-3912

Office: 617-918-1332

Email: stanley.elainet@epa.gov